


# DESCO INDUSTRIES INC. Technical Bulletin TB-7017

## Material Safety Data Sheet

Material Safety Data Sheet maybe used to comply with EC, according to 91/155EC and ANSI Standard Z400.1-1998  
Date: October 1, 2008

## NFPA Designation 704

Degree of Hazard  
4 = Extreme  
3 = High  
2 = Moderate  
1 = Slight  
0 = Insignificant



## Statfree T2™ Dissipative Dual Layer Rubber

### Section I. Identification of the Product and of the Enterprise

**Identity:** Statfree T2™ Dissipative Dual Layer Rubber  
**Manufacturer:** Desco Industries Inc.  
90 Hudson Road  
Canton, MA 02021  
U.S.A.

**Emergency:** Phone: (781) 821-8370  
Fax: (781) 575-0172

### Section II. Health Data

**First Aid Measures:** The product is and article and has no significant toxic hazard. Hazardous fumes can be produced by combustion or high temperature decomposition

#### If Exposed to Fumes From Combustion:

**Skin Contact:** Flush skin thoroughly with cool water for at least five minutes.  
**Eye Contact:** Immediately flush eyes with a directed stream of water for at least 15 minutes, while forcibly holding eyelids apart to ensure complete irrigation of eye and lid tissue. GET MEDICAL ATTENTION.

**Inhalation:** Remove to fresh air. If breathing is difficult administer oxygen. If respiration stops, give mouth-to-mouth resuscitation. GET MEDICAL ATTENTION.

**NOTE TO PHYSICIAN:** This material is an article and has no significant toxic hazard. Hazardous fumes (CO, CO<sub>2</sub>) are produced by combustion and may be produced by decomposition at elevated temperatures above 450°F.

#### Effects of Overexposure:

**Acute:** This material is an article and has no significant hazard. This article decomposes at high temperatures, and can produce irritating toxic fumes.

**Chronic:** No significant hazard.

**Route:** Fumes from high temperature decomposition are toxic when inhaled and irritating to skin and mucous membranes.

**Toxicity:** This material is and article and has no significant toxic hazard.

### Section III. Fire and Explosion Hazard Data

**Flash Point:** About 500°F. Method: ASTM-D-1929

**Flammable Limits(In Air % by Vol.):** N/A

**Auto Ignition Temperature:** About 700°F.

**Extinguishing Media:** Carbon dioxide, dry chemical, water.

**Special Fire Fighting Procedure &**

**Personal Protection:** In case of fire, use water or other extinguishing medium appropriate for surrounding fires. Use self-contained breathing apparatus and full protective equipment. All fires liberate toxic gases.

**Unusual Fire & Explosion Hazards:** None

### Section IV. Ventilation

**Respirator (Type):** None

**Gloves (Type):** None

**Eye Protection (Type):** None

**Other Protective Equipment:** None

Local exhaust in the vicinity of hot processing

### Section V. Physical Data

**Boiling Point (760mm Hg):** N/A

**Specific Gravity (H<sub>2</sub>O = 1):** 1.05 - 1.50

**Vapor Pressure (mm Hg 20°C):** N/A

**pH:** N/A

**Vapor Density (Air = 1):** N/A

**Percent Volatile:** Nonvolatile

**Solubility in Water (% by Wt.):** Negligible

**Evaporation Rate (Butyl Acetate = 1):** Less than 1

**Appearance and Color:** Smooth rubber finish, Black

**Section VI. Hazardous Ingredients**

Ingredients Presenting a Significant

Hazard: This material is an "article" under the definitions of the OSHA Hazard Communication Standard (29 CFR 1910.1200). As such, it does not release, or otherwise produce by exposure, a hazardous chemical under normal conditions of use.

Threshold Limit Value %: Not applicable

---

**Section VII. Hazardous Reactivity**

Incompatibility: Nonreactive.

Hazardous Decomposition Products: CO, CO<sub>2</sub> - This article can be forced to burn by continuous application of intense heat. The primary combustion products will be CO and CO<sub>2</sub>. Other gases will include small amounts of aromatic and aliphatic hydrocarbons, and oxides of nitrogen and sulfur. The major hazard is the asphyxiant carbon monoxide.

Conditions to Avoid: Keep away from heat for prolonged periods.

---

**Section VIII. Handling and Storage**

Handling and Storage Precautions: Use applicable fire and safety code precautions for warehousing.

---

**Section IX. Environmental Protection**

Procedure in Case of Spill or Release: N/A

Waste Disposal Method: Submit for disposal in accordance with local, state, and federal regulations.

---

**Section X. Regulatory Status**

Not classified as a hazardous waste under RCRA

---

**Section XI. Additional Information**

Always wear rubber gloves when cleaning exhaust equipment or other surfaces. If using cleaning solvents, follow their specific MSDS recommendations for use

**Disclaimer**

The information given in this publication has been worked up to the best of the knowledge of Desco Industries Inc, as well as taking into consideration the applicable laws and regulations. We cannot anticipate all conditions under which this information and our products or the products of the manufacturers in combination with our products may be used. We accept no responsibility for the results obtained by the application information or the safety and suitability of our product or product combination with other products. Users are advised to make their own tests to determine the safety and suitability of each such product or product combination for their own purposes. Unless otherwise agreed in writing, we sell the products without warranty, and buyers end users assume responsibility and liability for loss or damage arising from the handling and use of our products, whether used alone or in combination with other products.

N/A = Not Applicable; NE = None Established